

**Consent Decree 7:16-cv-00462-GEC**  
**United States, et. al. vs. Southern Coal Corporation & Affiliates**  
**Quarterly Report for period ending June 30, 2019**  
**On behalf of Southern Coal Corporation & Affiliates**

As per the Consent Decree between the United States of America, the State of Alabama, the Attorney General of Alabama, Alabama Department of Environmental Management, the Commonwealth of Kentucky, Energy and Environment Cabinet, the State of Tennessee, the Attorney General and Reporter of Tennessee, and the Commonwealth of Virginia, and Southern Coal Corporation, Justice Coal of Alabama, LLC, A & G Coal Corporation, Four Star Resources LLC, Infinity Energy, Inc., Kentucky Fuel Corporation, Sequoia Energy, LLC, Virginia Fuel Corporation, National Coal, LLC, Premium Coal Company, Incorporated, S and H Mining Inc., Airway Resources, L.L.C., Baden Reclamation Company, Black River Coal, LLC, Chestnut Land Holdings, LLC, Meg-Lynn Land Company, Inc., Nine Mile Mining, Inc., Cane Patch Mining Co., Inc., Bluestone Resources, Inc., Dynamic Energy, Inc., Greenthorn, LLC, Justice Highwall Mining Inc., National Resources, Inc., Nufac Mining Company, Inc., Pay Car Mining, Inc., Second Sterling Corp., and Newgate Development of Beckley LLC, the following quarterly report is provided (capitalized terms herein shall have the meanings ascribed to them in the Consent Decree):

**A. Information Regarding Any CWA Violation**

(i) Summary of Effluent Limit Violations for 2nd Quarter 2019

- There were seventy-six (76) Effluent Limit Violations on the associated NPDES permits for the facilities. These violations consisted of Thirty-six (36) Daily Violations and Forty (40) Monthly Violations. Twenty-eight (28) of the Daily Violations were in-compliance in under 72 hours and did not result in category violations. Four (4) of the Daily Violations were Category 1 violations, and Four (4) were Category 2 violations. Nineteen (19) of the Monthly Violations were Category 1 violations, and there were twenty-one (21) Category 2 violations. See **Table 1**.
- There were twenty-nine (29) Outlets with consecutive Effluent Limit Violations of the same pollutant parameter. See **Table 1**.
- There were Nine (9) Outlets with Persistent Noncompliance Issues (three (3) or more Effluent Limit Violations of the same parameter in the preceding 12-month period). See **Table 2**.

(ii) Summary of Failure to Sample Violations for 2nd Quarter 2019

- There were no Failure to Sample Violations for 2<sup>nd</sup> Quarter 2019.
- There may have been Failure to Sample Violations in 1<sup>st</sup> Quarter 2019. We are still investigating these events and if Violations are found, they will be reported in the next Quarterly Report.

(iii) Summary of Stipulated Penalties

- The total amount of Stipulated Penalties owed for the period is one hundred and eighty-nine thousand and five hundred dollars (\$189,500.00). See **Table 1**.

Stipulated Penalty Summary - 2nd Quarter 2019							
Type	Total #	Total # of Same Consecutive Exceedance	Total # of 3+ of Same Exceedance in Preceding 12 Month Period	Total # of Category 1 Violations	Total # of Category 2 Violations	Associated Stipulated Penalty	Additional Penalty for Persistent Non-Compliance
Monthly Violation	40	21	5	19	21	\$ 151,500.00	\$ 10,000.00
Daily Violation	36	8	4	4	4	\$ 24,000.00	\$ 4,000.00
Quarterly Violation						\$ -	\$ -
Failure to Sample			N/A			\$ -	N/A
<b>Total Violations</b>	<b>76</b>	<b>29</b>	<b>9</b>	<b>23</b>	<b>25</b>	<b>\$</b>	<b>189,500.00</b>
Non-Compliance with Consent Decree 2nd Quarter 2019							
Date Range	Start Date	End Date	# of Days	Associated Stipulated Penalty	Details of Non-Compliance		
<b>Total Non-Compliance with Consent Decree</b>			<b>0</b>	<b>\$</b>			<b>-</b>
<b>Total Stipulated Penalties 2nd Quarter 2019:</b>						<b>\$</b>	<b>189,500.00</b>
<b>Total Stipulated Penalties Due for 2nd Quarter 2019:</b>						<b>\$</b>	<b>189,500.00</b>

\*For the purposes of this document, a blank cell represents 0 violations.

Table 1.

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1006304	S007282	008	06/16/19	07/11/19	Total Selenium	6.7000	4.7000	Monthly	1
Exceedances from Preceding 12 Months									
WV1006304	S007282	008	01/16/19	02/08/19	Total Selenium	8.4550	4.7000	Monthly	2
WV1006304	S007282	008	02/24/19	04/02/19	Total Selenium	7.7240	4.7000	Monthly	2
WV1006304	S007282	008	08/18/18	09/11/18	Total Selenium	9.8575	4.7000	Monthly	2
WV1006304	S007282	008	07/18/18	08/06/18	Total Selenium	7.5900	4.7000	Monthly	1
WV1006304	S007282	008	08/18/18	09/11/18	Total Selenium	9.8575	4.7000	Monthly	2
WV1006304	S007282	008	09/20/18	10/10/18	Total Selenium	9.5600	4.7000	Monthly	2
WV1006304	S007282	008	12/15/18	01/12/19	Total Selenium	8.0833	4.7000	Monthly	2

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1005995	D001182, H062200	001	06/27/19	07/11/19	Total Aluminum	1.3375	0.4300	Monthly	1
Exceedances from Preceding 12 Months									
WV1005995	D001182, H062200	001	11/29/18	12/13/18	Total Aluminum	0.4837	0.4300	Monthly	1
WV1005995	D001182, H062200	001	06/27/18	07/18/18	Total Aluminum	1.0145	0.4300	Monthly	1

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	002	04/03/19	04/20/19	Total Aluminum	0.2200	0.1400	Daily	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	002	02/22/19	03/11/19	Total Aluminum	0.2000	0.1400	Daily	2
WV1018965	S400900	002	02/09/19	03/28/19	Total Aluminum	0.1900	0.1400	Daily	N/A
WV1018965	S400900	002	03/18/19	04/04/19	Total Aluminum	0.5800	0.1400	Daily	N/A
WV1018965	S400900	002	09/27/18	09/28/18	Total Aluminum	0.1530	0.1400	Daily	N/A

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	003	05/31/19	06/05/19	Total Aluminum	0.0900	0.0800	Monthly	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	003	02/22/19	04/02/19	Total Aluminum	0.1260	0.0800	Monthly	1
WV1018965	S400900	003	03/28/19	04/15/19	Total Aluminum	0.2300	0.0800	Monthly	2
WV1018965	S400900	003	04/26/18	05/15/18	Total Aluminum	0.0830	0.0800	Monthly	1

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	004	04/24/19	05/03/19	Total Aluminum	0.6100	0.1400	Monthly	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	004	02/22/19	03/11/19	Total Aluminum	0.3100	0.1400	Monthly	N/A
WV1018965	S400900	004	03/04/19	03/21/19	Total Aluminum	0.4500	0.1400	Monthly	1
WV1018965	S400900	004	03/18/19	04/04/19	Total Aluminum	0.3900	0.1400	Monthly	N/A
WV1018965	S400900	004	03/24/19	04/15/19	Total Aluminum	0.1900	0.1400	Monthly	1
WV1018965	S400900	004	05/24/18	05/29/18	Total Aluminum	0.1540	0.1400	Monthly	1
WV1018965	S400900	004	06/25/18	06/27/18	Total Aluminum	0.1730	0.1400	Monthly	N/A
WV1018965	S400900	004	09/27/18	09/28/18	Total Aluminum	0.2710	0.1400	Monthly	N/A
WV1018965	S400900	004	11/08/18	11/09/18	Total Aluminum	0.2180	0.1400	Monthly	N/A

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	005	04/03/19	04/20/19	Total Aluminum	0.1600	0.1400	Daily	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	005	02/22/19	03/11/19	Total Aluminum	0.1900	0.1400	Daily	N/A
WV1018965	S400900	005	02/09/19	03/28/19	Total Aluminum	0.2500	0.1400	Daily	N/A
WV1018965	S400900	005	03/18/19	04/04/19	Total Aluminum	0.6900	0.1400	Daily	N/A
WV1018965	S400900	005	05/24/18	05/29/18	Total Aluminum	0.2750	0.1400	Daily	1
WV1018965	S400900	005	06/12/18	06/14/18	Total Aluminum	0.2240	0.1400	Daily	N/A
WV1018965	S400900	005	06/25/18	06/27/18	Total Aluminum	0.3200	0.1400	Daily	N/A
WV1018965	S400900	005	09/17/18	09/18/18	Total Aluminum	0.3500	0.1400	Daily	N/A
WV1018965	S400900	005	09/27/18	09/28/18	Total Aluminum	0.4700	0.1400	Daily	N/A
WV1018965	S400900	005	11/08/18	11/09/18	Total Aluminum	0.3160	0.1400	Daily	N/A

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	006	04/03/19	05/03/19	Total Aluminum	0.1033	0.0800	Daily	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	006	02/22/19	04/02/19	Total Aluminum	0.2300	0.0800	Daily	1
WV1018965	S400900	006	09/30/18	10/10/18	Total Aluminum	0.1205	0.0800	Daily	1

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
WV1018965	S400900	010	06/28/19	07/03/19	Total Aluminum	0.6900	0.1400	Daily	1
Exceedances from Preceding 12 Months									
WV1018965	S400900	010	02/22/19	03/11/19	Total Aluminum	0.3800	0.1400	Daily	2
WV1018965	S400900	010	03/04/19	03/21/19	Total Aluminum	0.2400	0.1400	Daily	2
WV1018965	S400900	010	02/09/19	03/28/19	Total Aluminum	0.4500	0.1400	Daily	N/A
WV1018965	S400900	010	03/21/19	04/05/19	Total Aluminum	0.4300	0.1400	Daily	N/A
WV1018965	S400900	010	03/24/19	04/15/19	Total Aluminum	0.4300	0.1400	Daily	1
WV1018965	S400900	010	05/14/18	05/16/18	Total Aluminum	0.1440	0.1400	Daily	N/A
WV1018965	S400900	010	06/25/18	06/27/18	Total Aluminum	0.2540	0.1400	Daily	N/A
WV1018965	S400900	010	07/09/18	07/11/18	Total Aluminum	0.2570	0.1400	Daily	N/A
WV1018965	S400900	010	07/23/18	07/25/18	Total Aluminum	0.2890	0.1400	Daily	N/A
WV1018965	S400900	010	08/08/18	08/09/18	Total Aluminum	0.5300	0.1400	Daily	N/A
WV1018965	S400900	010	08/23/18	08/24/18	Total Aluminum	0.2710	0.1400	Daily	N/A
WV1018965	S400900	010	09/27/18	09/28/18	Total Aluminum	0.6810	0.1400	Daily	N/A
WV1018965	S400900	010	11/08/18	11/09/18	Total Aluminum	0.1450	0.1400	Daily	N/A

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

Outlets with Persistent Non-Compliance - 2nd Quarter 2019

NPDES Permit	SMCRA Permit	Outlet	Sample Date	Notification Date	Parameter	Result	Limit	Type	Category
VA0082073	1702073	M-001A	04/30/19	05/03/19	Total Manganese	2.3333	2.0000	Monthly	1
VA0082073	1702073	M-001A	05/20/19	06/05/19	Total Manganese	2.2683	2.0000	Monthly	2
VA0082073	1702073	M-001A	06/23/19	07/11/19	Total Manganese	2.2475	2.0000	Monthly	2
Exceedances from Preceding 12 Months									
VA0082073	1702073	M-001A	06/18/18	07/26/18	Total Manganese	2.9800	2.0000	Monthly	1
VA0082073	1702073	M-001A	07/26/18	08/13/18	Total Manganese	3.4250	2.0000	Monthly	2
VA0082073	1702073	M-001A	10/31/18	11/09/18	Total Manganese	3.2325	2.0000	Monthly	1

Table 2.

(iv) Summary of Additional CWA/SMCRA Violations

- See **Attachment A.** For more details.

(v) Summary of Remedial Steps Taken or Planned for Violations in (i) and (ii) above

During the period, the following remedial actions were initiated to address the Effluent Limit Violations identified above:

- Daily monitoring began the date of the Violation notification.
- The pond associated with the Outlet was cleaned.
- Treatment was increased for outlets with high aluminum.
- Treatment was consistently applied as needed.
- The Outlet was brought back into compliance.
- See **Attachment B.** and **Attachment C.** for details specific to each effluent limit violation.

During the period, the following remedial actions were initiated to address the Failure to Sample Violations identified above:

- There were no Failure to Sample Violations for 2<sup>nd</sup> Quarter 2019.

During the period, the following remedial actions were initiated to address the Persistent Non-compliances identified above:

- Daily monitoring began the date of the Violation notification.
- In process of consulting with CWA compliance and treatment systems expert.
- See **Table 2.** For details specific to each persistent non-compliance.

During the period, the following remedial actions were initiated to address the CWA/SMCRA Violations:

- See **Attachment A.** for specific violations and remedial actions taken.

(vi) Copy of the Violation Database Entries for the relevant quarter

- See **Attachment A.** for 2nd Quarter 2019 CWA/SMCRA Violations
- See **Attachment B.** for 2nd Quarter 2019 Effluent Limit Violations
- See **Attachment C.** for responses to 2nd Quarter 2019 Effluent Limit Violations
- See **Attachment D.** for 09/30/18 – 09/30/19 Effluent Limit and Failure to Sample Violations
- Copies of All Violation Documents (CWA/SMCRA, Effluent Limit, and Failure to Sample) and Completed Environmental Audits and Treatment System Audits are located on the publicly available database for Southern Coal Corporation.
  - [www.southerncoalcorporation.droppages.com](http://www.southerncoalcorporation.droppages.com)

**B. Summary of Incomplete Audit Responses**

- No Incomplete Audit Responses occurred 2nd Quarter 2019.
- The EMS Audit Response and Action Plan was completed and submitted with the 4th quarter 2017 quarterly report.
  - EPA's comments on EMS Audit Response and Action Plan have not been received.
  - Once EPA comments are received, a response will be submitted within 30 days from receipt date.

**C. Documentation of Training Sessions Pursuant to Paragraph 60**

- Annual Consent Decree Training for 2019 will be conducted by the end of 4<sup>th</sup> Quarter 2019.
- Annual Consent Decree Training for new hires was conducted 2<sup>nd</sup> Quarter 2019. See **Attachment F.**

**D. Certification of Material Conformance**

I hereby certify that activities at Southern Coal Corporation and Affiliates facilities are in material conformance with the elements of the approved EMS manual relating to the Applicable Law addressed by the Consent Decree.

**E. Status of Consent Decree Implementation**

See **Attachment E**. SCC Consent Decree Obligation Tracking

**F. Other Non-Compliances with This Consent Decree**

- There were no instances of Non-Compliance with the Consent Decree that occurred during 2nd Quarter 2019.
- No Instances of Non-Compliance with Reporting Requirements in 2nd Quarter 2019.
- There were no instances of Non-Compliance with Outlet Inspection Requirements in 2nd Quarter 2019.
  - However, it has come to our attention that some Outfall Inspections may be missing. We are still conducting a review of all Outfall Inspections and will report any discrepancies found in the next Quarterly Report.


**G. Decree Violation Subject to an Unresolved Force Majeure Claim**

*Not applicable.*



**H. Certification Pursuant to Paragraph 79**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Bill Johnson

Chief Engineer/Chief Compliance Officer



Date

**George W  
Stephens**

George Stephens

Environmental Compliance Manager

Digitally signed by George W  
Stephens

Date: 2019.07.31 16:04:26 -04'00'

Date